


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 22 for "virtual attribute" "real attribute". (0.51 seconds)

 Did you mean: "virtual attribute" "**rel** attribute"

Description of class MadElement

... copyAttributes (const Object&) ;; virtual void execute () ;; **virtual Attribute***
 findAttribute (const ... const string&,double) ; Store a registered **real attribute**. ...

project-mad9.web.cern.ch/project-mad9/ mad/mad9/classes/MadElement.html - 16k - [Cached](#) - [Similar pages](#)

[PDF] MAD-9 Class Reference Manual

File Format: PDF/Adobe Acrobat - View as HTML

Page 1. EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH MAD-9 Class Reference Manual FC Iselin Abstract This report describes the classes ...

project-mad9.web.cern.ch/ project-mad9/mad/mad9/mad9-classes.pdf - [Similar pages](#)

#6. Failures and restoring. The following facility is provided for ...

... does not need to know that it is not a "real" attribute. ... The implementation of **virtual attribute** computation has a protection against infinite recursion; if at ...

www.math.spbu.ru/user/tseytin/nets6.html - 8k - [Cached](#) - [Similar pages](#)

Chapter 10 Attribute Reference

... or no qualifier) - Indicates that the server does not override a **real attribute** value stored in the entry when it has the same type as the **virtual attribute**. ...

docs.sun.com/source/817-5235/attribut.html - 101k - [Cached](#) - [Similar pages](#)

MUIbase (C) 1998-2000 Steffen Gutmann - Basic concepts

... For example, in a project managing invoices where a **real attribute** holds the amounts of money excluding tax, a **virtual attribute** can be used to "store" the ...

rr-server.de/MUIbase/docs/1.5/MUIbase_5.html - 28k - [Cached](#) - [Similar pages](#)

[PDF] Abstract Introduction

File Format: PDF/Adobe Acrobat

... R is a non-empty set of real attributes and V is a non-empty set of virtual attributes
 $R \setminus V = \emptyset$, and the mapping t maps at least one **virtual attribute** $v \in V$...

portal.acm.org/ft_gateway.cfm?id=781923& type=pdf&coll=portal&dl=ACM&CFID=11111111&CFT... -

[Similar pages](#)

RELATION acmabstracts % system @ATTRIBUTE word_0 REAL % paper ...

... word_166 REAL % extends @ATTRIBUTE word_167 REAL % **real** @ATTRIBUTE word_168 REAL %
 issu ... REAL % fact @ATTRIBUTE word_485 REAL % **virtual** @ATTRIBUTE word_486 REAL ...

tennessee.cc.vt.edu/~akrowne/classification/ data/2002-11-13/acm_ind_df_3000.arff - 101k -

[Cached](#) - [Similar pages](#)

RELATION acmabstracts % paper @ATTRIBUTE word_0 REAL % comput ...

... word_179 REAL % interest @ATTRIBUTE word_180 REAL % **real** @ATTRIBUTE word_181
 REAL ... REAL

% target @ATTRIBUTE word_587 REAL % **virtual** @ATTRIBUTE word_588 REAL ...

tennessee.cc.vt.edu/~akrowne/classification/ data/2002-11-11/acm_agg_df_3000.arff - 101k -

[Cached](#) - [Similar pages](#)

[[More results from tennessee.cc.vt.edu](#)]


BEST AVAILABLE COPY

[PS] No Regression Algorithm for the Enumeration of ProjectionsFile Format: Adobe PostScript - [View as Text](#)

... **attribute** V. r. of base. relation r is in the set $((R. T. [V. T.) \setminus \text{Gamma sch}(\text{ffi. T. } \setminus \text{Lambda. }))$ then generate. T. new. = ffi. T. $\setminus \text{Lambda. (T)}$; or. $\setminus \text{Lambda}$ If **real attribute** ...

www.cs.ubc.ca/local/reading/proceedings/cascon95/papers/bhargav2.ps - [Similar pages](#)**[PDF] Drag&Relate**File Format: PDF/Adobe Acrobat - [View as HTML](#)Page 1. TM Drag&Relate MYSAP. WP_ DR AG _REL AT E Release 2 . 1 1 Page 2.

SAP Online Help Drag&Relate 2.11 2 Copyright © Copyright 2000 SAP AG. ...

https://www.sdn.sap.com/content_documents/Drag%20and%20Relate.pdf - [Similar pages](#)Did you mean to search for: "[virtual attribute](#)" "[rel attribute](#)"Google Result Page: 1 2 **Next**[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

"virtual attribute" "real attribute" "index class"

Search

[Advanced Search](#)
[Preferences](#)

Web

Did you mean: "virtual attribute" "rel attribute" "index class"

No standard web pages containing all your search terms were found.

Your search - **"virtual attribute" "real attribute" "index class"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Also, you can try [Google Answers](#) for expert help with your search.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY

Web Images Groups News Froogle [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 5 of about 7 for "**virtual attribute**" "**index class**". (0.29 seconds)

Tip: Try removing quotes from your search to get more results.

[\[Mono-patches\] mcs/gmcs ChangeLog,1.161,1.162 attribute.cs,1.23 ...](#)... attrs; } - public **virtual Attribute** Search (Type t ... ec, ias, ld); } } **Index: class.cs**

==== RCS file ...

[lists.ximian.com/archives/ public/mono-patches/2004-May/037671.html](http://lists.ximian.com/archives/public/mono-patches/2004-May/037671.html) - 44k - [Cached](#) - [Similar pages](#)[\[Mono-patches\] mcs/mcs ChangeLog,1.1490,1.1491 attribute.cs,1.122 ...](#)... ias, ld, Target); + } + public **virtual Attribute** Search (Type t ... SetCustomAttribute(CustomAttributeBuilder customBuilder); } //summary> **Index: class.cs** ...[lists.ximian.com/archives/ public/mono-patches/2004-May/036872.html](http://lists.ximian.com/archives/public/mono-patches/2004-May/036872.html) - 74k -[Cached](#) - [Similar pages](#)[\[More results from lists.ximian.com \]](#)[C++ PATCH to rename TYPE_VIRTUAL_P ...](#)... datum, TYPE_VFIELD (type)); else **Index: class.c** =====RCS ... TYPE)_DECL has its **virtual attribute** set ...gcc.gnu.org/ml/gcc-patches/1999-12n/msg00806.html - 30k - [Cached](#) - [Similar pages](#)[\[Dotgnu-pnet-commits\] CVS: pnetlib/System/ComponentModel ...](#)... public **virtual Attribute** this[Type type] ! { ! get ! { ! ... { ! InnerList.CopyTo(array,**index**); ! } } **class** ComponentCollection **Index: Container.cs** ...[lists.gnu.org/archive/html/ dotgnu-pnet-commits/2003-04/msg00432.html](http://lists.gnu.org/archive/html/dotgnu-pnet-commits/2003-04/msg00432.html) - 101k - [Cached](#) - [Similar pages](#)[\[ps\] Database-SQL-RDBMS HOW-TO pour Linux \(PostgreSQL Object Relational ...](#)File Format: Adobe PostScript - [View as Text](#)... 226 44.28J'ai l'erreur 'default **index class** unsupported' (index par d'efaut, classe

non support'ee) en. cr'eant un index. Comment dois-je faire?

[www.usinglinux.org/doc/translations/ fr/obsolete/ps/Database-HOWTO.ps](http://www.usinglinux.org/doc/translations/fr/obsolete/ps/Database-HOWTO.ps) - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.

If you like, you can repeat the search with the omitted results included.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 4 of about 5 for "**index class**" attribute "**folder index**". (0.18 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [IBM Content Manager for iSeries: Application Programming Guide and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 37 SimLibGetAttrInfo (Get **Attribute** Information) . 38 SimLibGetClassInfo
 (Get **Index Class** Information)

publib.boulder.ibm.com/infocenter/iseries/v5r3/ic2924/books/sc271139.pdf - [Similar pages](#)

[Iterating for Profit and Pleasure](#)

... const { return index != other.index; } }; / **Class** declaration for ... operator* () const
 { return **folder**[index]; } The only ... to be checked for **attribute** differences ...

[www.mactech.com/articles/mactech/ Vol.16/16.05/IteratingforProfitandPleasure/](http://www.mactech.com/articles/mactech/Vol.16/16.05/IteratingforProfitandPleasure/) - 65k - [Cached](#) - [Similar pages](#)

[Phpgroupware-cvs] CVS: felamimail/inc array.php,1.1.1.1,1.2 auth. ...

... params as \$p) + { + if(\$p->**attribute** == "FILENAME") + { +ret[\$x ... r1.1.1.1 -r1.2 **Index**:
class.uicompose.inc ... lang("back to **folder**")); **Index**: **class**.uifelamimail.inc ...

[lists.gnu.org/archive/html/ phpgroupware-cvs/2002-02/msg00532.html](http://lists.gnu.org/archive/html/phpgroupware-cvs/2002-02/msg00532.html) - 70k - [Cached](#) - [Similar pages](#)

[PDF] [Ascent 6.1 Release Script for IBM Content Manager for iSeries 5.1](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... for the document index classes and **folder index** classes ... Notice that the Content Manager
attribute type must ... fields, and text constants to **index class** key fields ...

[www.kofax.com/products/ascent/ release_scripts/eval/ibmcml/CMRel51_v61.pdf](http://www.kofax.com/products/ascent/release_scripts/eval/ibmcml/CMRel51_v61.pdf) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to
 the 4 already displayed.*

If you like, you can repeat the search with the omitted results included.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY